

Discharge Monitoring Report - STA 5 - Submittal Date: October 2005

Monitoring Period: July 01, 2005 - July 31, 2005

Permit # FL0177954-001

Discharge Point Number: D001

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Resource Assessment Department	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS	<div style="border: 1px solid black; height: 40px; margin-bottom: 5px;"></div> <small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	TELEPHONE NO. 561-682-6820	DATE 10/6/2005
--	--	--	-----------------------------------	-----------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-1 outflow G344A	Calc	Daily		53	155	cfs
Dissolved Oxygen	00300 1 EFF-1 outflow G344A	In Situ	Weekly	0.12			mg/l
Dissolved Oxygen	00300 5 SWU-1 inflow G342A	In Situ	Weekly	0.34			mg/l
pH	00400 1 EFF-1 outflow G344A	In Situ	Weekly	7.30		8.10	SU field
Total Phosphorus	00665 Y EFF-1 outflow G344A	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.050		mg/l as P
Total Phosphorus	00665 P SWU-1 inflow G342A	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.157		mg/l as P

Discharge Monitoring Report - STA 5 - Submittal Date: October 2005

Monitoring Period: July 01, 2005 - July 31, 2005

Permit # FL0177954-001

Discharge Point Number: D002

[] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 10/6/2005
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-2 outflow G344B	Calc	Daily		50	175	cfs
Dissolved Oxygen	00300 1 EFF-2 outflow G344B	In Situ	Weekly	0.33			mg/l
Dissolved Oxygen	00300 5 SWU-2 inflow G342B	In Situ	Weekly	0.37			mg/l
pH	00400 1 EFF-2 outflow G344B	In Situ	Weekly	7.24		7.34	SU field
Total Phosphorus	00665 Y EFF-2 outflow G344B	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.077		mg/l as P
Total Phosphorus	00665 P SWU-2 inflow G342B	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.167		mg/l as P

Discharge Monitoring Report - STA 5 - Submittal Date: October 2005

Monitoring Period: July 01, 2005 - July 31, 2005

Permit # FL0177954-001

Discharge Point Number: D003

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 10/6/2005
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-3 outflow G344C	Calc	Daily		91	467	cfs
Dissolved Oxygen	00300 1 EFF-3 outflow G344C	In Situ	Weekly	0.52			mg/l
Dissolved Oxygen	00300 5 SWU-3 inflow G342C	In Situ	Weekly	0.72			mg/l
pH	00400 1 EFF-3 outflow G344C	In Situ	Weekly	6.92		7.24	SU field
Total Phosphorus	00665 Y EFF-3 outflow G344C	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.101		mg/l as P
Total Phosphorus	00665 P SWU-3 inflow G342C	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.207		mg/l as P

Discharge Monitoring Report - STA 5 - Submittal Date: October 2005

Monitoring Period: July 01, 2005 - July 31, 2005

Permit # FL0177954-001

Discharge Point Number: D004

[] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 10/6/2005
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-4 outflow G344D	Calc	Daily		67	385	cfs
Dissolved Oxygen	00300 1 EFF-4 outflow G344D	In Situ	Weekly	0.72			mg/l
Dissolved Oxygen	00300 5 SWU-4 inflow G342D	In Situ	Weekly	0.44			mg/l
pH	00400 1 EFF-4 outflow G344D	In Situ	Weekly	7.02		7.18	SU field
Total Phosphorus	00665 Y EFF-4 outflow G344D	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.103		mg/l as P
Total Phosphorus	00665 P SWU-4 inflow G342D	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.257		mg/l as P